

Speech Enhancement with Score-Based Generative Models in the Complex STFT Domain

Simon Welker^{1,2,†}, Julius Richter^{1,†}, Timo Gerkmann¹

¹Signal Processing (SP), Universität Hamburg, Germany

²Center for Free-Electron Laser Science, DESY, Hamburg, Germany

[†]Authors contributed equally to this work.

simon.welker@uni-hamburg.de, julius.richter@uni-hamburg.de, timo.gerkmann@uni-hamburg.de

Abstract

Score-based generative models (SGMs) have recently shown impressive results for difficult generative tasks such as the unconditional and conditional generation of natural images and audio signals. In this work, we extend these models to the complex short-time Fourier transform (STFT) domain, proposing a novel training task for speech enhancement using a complex-valued deep neural network. We derive this training task within the formalism of stochastic differential equations (SDEs), thereby enabling the use of predictor-corrector samplers. We provide alternative formulations inspired by previous publications on using generative diffusion models for speech enhancement, avoiding the need for any prior assumptions on the noise distribution and making the training task purely generative which, as we show, results in improved enhancement performance.

Index Terms: speech enhancement, generative modeling, score-based generative models, deep learning

1. Introduction

Speech enhancement aims at estimating clean speech signals from audio recordings that are impacted by acoustic noise [1]. The task is well studied in the signal processing literature, and conventional approaches often make assumptions regarding the statistical properties of speech signals [2]. With the advent of deep learning, approaches to speech enhancement have made significant progress in the last decade. Most methods are based on a discriminative learning task that aims to minimize a certain distance between clean and noisy speech. However, since supervised methods are inevitably trained on a finite set of training data with limited model capacity for practical reasons, they may not generalize to unseen situations, e.g., different noise types, reverberation, and different signal-to-noise ratios (SNRs). In addition, some discriminative approaches have been shown to result in unpleasant speech distortions that outweigh the benefits of noise reduction [3].

Instead of learning a direct mapping from noisy to clean speech, generative models aim to learn the distribution of clean speech as a prior for speech enhancement. Several approaches have utilized deep generative models for speech enhancement using generative adversarial networks (GANs) [4,5], variational autoencoders (VAEs) [6–11], flow-based models [12], and more recently generative diffusion models [13, 14]. The main principle of these approaches is to learn the inherent properties of




Figure 1: The forward and reverse process on a spectrogram as a solution to an SDE. The reverse process gradually converts the corrupted signal x_1 into a clean speech spectrogram x_0 .

clean speech, such as its spectral and temporal structure, which are then used as prior knowledge for making inferences about clean speech given a noisy input. Thus, they are trained solely to generate clean speech and are therefore considered more robust to different acoustic environments compared to their discriminative counterparts. In fact, generative approaches have shown to perform better under mismatched training and test conditions [10, 11, 14, 15]. However, they are currently less studied and still lag behind discriminative approaches, which is a strong incentive to conduct more research to realize their full potential.

Although GANs and VAEs have become a popular choice for deep generative modeling, generative diffusion models [16–18] provide a powerful alternative which has recently shown to be state-of-the-art in natural image generation [19]. The idea is to gradually turn data into noise, and to train a neural network that learns to invert this procedure for different noise scales (see Fig. 1). Other works have adopted this scheme for generating speech in the time domain using clean Mel spectrograms as a conditioner [20, 21]. Interestingly, the model in [20] investigated its zero-shot speech denoising capabilities for different noise types. Although it was only trained to remove white noise added in the diffusion process, it already shows preliminary results for performing speech enhancement. Lu et al. built upon this idea and designed a supportive reverse process using the same architecture but with noisy spectrograms as the conditioner [13]. In their follow-up paper they devised a conditional diffusion process with an adopted forward and reverse process incorporating the noisy data into the diffusion process [14]. However, the derivation of their objective function is based on the assumption that the global distribution of the additive noise follows a standard white Gaussian, which is normally not the case for environmental noise. Moreover, the neural network used in their reverse process is trained to explicitly estimate the difference between clean and noisy speech, which is usually considered a discriminative learning task.

We acknowledge the support by DASHH (Data Science in Hamburg - HELMHOLTZ Graduate School for the Structure of Matter) with the Grant-No. HIDSS-0002 and the German Research Foundation (DFG) in the transregio project Crossmodal Learning (TRR 169).

In this work, we propose an alternative diffusion process which is based on stochastic differential equations (SDEs) for score-based generative models (SGMs) [18] which is a specific class of generative diffusion models (see Section 2). Using this formulation, we are able to avoid the need for any prior assumptions on the noise distribution and make the training task purely generative. Unlike [13, 14] which work in the time domain, we perform generative speech enhancement in the complex STFT domain, i.e., working directly on the Fourier coefficients with amplitude and phase. This choice should allow deep-learning models to exploit the rich structure of speech in the time-frequency domain. In contrast to approaches that modify only the amplitudes, this choice avoids the need for phase retrieval techniques, since the phase information is enhanced directly as well. In our experiments, we demonstrate good speech enhancement performance and show that our method introduces less speech distortions compared to the baseline method.

2. Background

2.1. Score-based generative models

SGMs [16, 18] are generative diffusion models that center around the idea of corrupting training data with slowly increasing levels of noise (forward process), and training a *score model* to reverse this corruption (reverse process) by estimating the *score* $\nabla_x \log p_{\text{data}}(x)$, i.e., the gradient of the log probability density with respect to the data. Once a score model is trained, an iterative procedure called Langevin dynamics can be used to draw samples from it [22].

2.2. SGMs through stochastic differential equations

Song et al. [18] introduced the formalism of using SDEs for score-based generative modeling. Following the Itô interpretation [23, ch. 4], the process $\{x_t\}_t$ can be defined by the SDE

$$dx_t = f(x_t, t)dt + g(t)dw, \quad (1)$$

where f is the *drift*, g is the *diffusion*, t is a coordinate which denotes how far the forward process has run, dt is an infinitesimal time step, and w is the standard Wiener process. We stress that the “time” t mentioned in this context is a conceptual idea related to the progression of the process, and is not related to the time axis of an audio signal or its STFT. According to Anderson [24], every such SDE has a corresponding *reverse SDE*

$$dx_t = [f(x_t, t) - g(t)^2 \nabla_{x_t} \log p_t(x_t)] dt + g(t)d\bar{w}, \quad (2)$$

where dt is an infinitesimal negative time step and \bar{w} is a standard Wiener process for time flowing in reverse. The score term $\nabla_{x_t} \log p_t(x_t)$ is with respect to the log density of the process at time t and can be approximated by a learned time-dependent score model $s_\theta(x_t, t)$. The reverse SDE is then solved by means of some solver procedure (see Section 3.4), providing the basis for score-based generative modeling with SDEs.

3. Proposed method

3.1. A stochastic process for speech enhancement

Lu et al. [14] proposed the idea of linearly interpolating between clean speech x_0 (at $t = 0$) and noisy speech $y = x_0 + n$ (at $t = 1$) along a discrete-time forward process, so that the reverse process should lead to clean speech at $t = 0$. Note, that discrete-time diffusion processes using Markov chains [17] are

different from the continuous SDE formulation used in the context of SGMs [18] and in this work. Furthermore, as can be seen from their subsequent derivations, the choice of linear interpolation implies that the trained deep neural network (DNN) must explicitly estimate a portion of environmental noise n at each step in the reverse process. From an intuitive standpoint, this occurs because it is necessary to estimate the slope between every value of x_0 and y to be able to formulate the reverse process. As a consequence, the resulting evidence lower bound (ELBO) loss [14, eq. (21)] exhibits characteristics of a discriminative learning task, making it difficult to assess whether the network is learning a prior for clean speech per se or the mapping from noisy to clean speech. To avoid this, we propose the following novel diffusion process based on an SDE, which leads to a *pure* generative training objective without the model estimating any portion of n :

$$dx_t = \gamma(y - x_t)dt + g(t)dw \quad (3)$$

$$g(t) = \sigma_{\min} (\sigma_{\max}/\sigma_{\min})^t \sqrt{2 \log(\sigma_{\max}/\sigma_{\min})} \quad (4)$$

where σ_{\min} and σ_{\max} parameterize the variance schedule of the added Gaussian noise, and γ is a constant that can be interpreted as a stiffness parameter for x_0 being pulled towards y as t becomes larger. This SDE is inspired by the concept of stochastic processes that exhibit *mean reversion* [25], i.e., a convergence of the mean to a particular value as $t \rightarrow \infty$. Since the drift $f(x_t, t) = \gamma(y - x_t)$ is affine with respect to x_t , the SDE (3) describes a Gaussian process [23]. Let \mathbf{I} be the identity matrix. The state distribution of this process, called perturbation kernel,

$$p_{0t}(x_t|x_0, y) = \mathcal{N}_{\mathbb{C}}(x_t; \mu_{x_0, y}(t), \sigma(t)^2 \mathbf{I}), \quad (5)$$

admits efficient sampling x_t at an arbitrary timestep t because it is fully characterized by its mean $\mu_{x_0, y}(t)$ and variance $\sigma(t)^2$, which can be derived in closed form via eqns. (5.50, 5.53) in Särkkä & Solin [23] as:

$$\mu_{x_0, y}(t) = e^{-\gamma t} x_0 + (1 - e^{-\gamma t}) y \quad (6)$$

$$\sigma(t)^2 = \frac{\sigma_{\min}^2 ((\sigma_{\max}/\sigma_{\min})^{2t} - e^{-2\gamma t}) \log(\sigma_{\max}/\sigma_{\min})}{\gamma + \log(\sigma_{\max}/\sigma_{\min})} \quad (7)$$

Since $\mu_{x_0, y}(t)$ does not exactly reach y for finite t , we empirically choose a stiffness γ so that $\mathbb{E}[|\mu_{x_0, y}(1) - y|^2] < 10^{-3}$, where the expectation is calculated over all complex bins in a random sample of 256 spectrogram pairs from the chosen dataset. Our SDE is, in essence, a synthesis of an Ornstein-Uhlenbeck SDE [26] and the Variance Exploding SDE by Song et al. [18]. The affine drift term (as in an Ornstein-Uhlenbeck SDE) leads to exponential decay of the mean from x_0 towards y , reflected in (6), and the exponentially increasing diffusion term (as in a Variance Exploding SDE) leads to exponentially increasing corruption of features by Gaussian noise.

We note that in (5), we assume circularity and a scaled identity matrix as the covariance matrix for the process. This would be a strong assumption to make if the process should model real-world additive noise. We argue that the assumption is acceptable in this case, as the noise added by the forward process is entirely artificial, intended to mask the particular characteristics of the environmental noise at $t = 1$, and thus represents only a means to an end for the generative task.

3.2. Data representation

In this work, we represent speech signals in the complex-valued one-sided STFT domain. We therefore treat clean speech x_0

and noisy speech y as elements of $\mathbb{C}^{(\frac{F}{2}+1) \times T}$, where F is the discrete Fourier transform (DFT) length and T is the number of time frames, dependent on the audio length. Since the global distribution of STFT speech amplitudes is typically heavy-tailed [27], the information visible in untransformed spectrograms is dominated by only a small portion of bins. Furthermore, the naturally encountered amplitudes often lie far outside the interval $[0, 1]$ often used in SGMs [17, 18]. As an engineering trick, we thus apply an amplitude transformation to all complex STFT coefficients c [28], in an effort to bring out frequency components with lower energy (e.g. fricative sounds of unvoiced speech) and to normalize amplitudes roughly to within $[0, 1]$ to better fit the usual SGM assumptions. The transformation and its associated inverse transformation is defined as:

$$\tilde{c} = \frac{|c|^\alpha}{\beta} e^{i\angle(c)} \Leftrightarrow c = \beta |\tilde{c}|^{1/\alpha} e^{i\angle(\tilde{c})} \quad (8)$$

where we have chosen $\alpha = 0.5$ and $\beta = 3$ empirically. The forward and backward Gaussian processes, as well as the input and output of the score-based DNN model, are then formulated and applied within this transformed domain.

3.3. Training task

We adopt the training strategy of *denoising score matching* [29], which trains a model to approximate the score $\nabla_{x_t} \log p_t(x_t)$ by estimating the Gaussian noise added by the forward process at time t . This training strategy can be efficiently realized by sampling t uniformly from $[0, 1]$ and then sampling x_t according to (5) for each data point in the training batch. The training task is to learn parameters θ that minimize the following term, where $x_0 \sim p_0(x)$, $x_t \sim p_{0t}(x_t|x_0, y)$:

$$\mathbb{E}_{t, x_0, x_t|x_0} [\|s_\theta(x_t, t, y) - \nabla_{x_t} \log p_{0t}(x_t|x_0, y)\|_2^2] \quad (9)$$

We note that in the baseline work, CDiffuSE [14, eq. (21)], the loss function includes a term $(y - x_0)$, i.e., the network is in part trained to remove the environmental noise directly in each step. In contrast, our objective function in (9) does not task the DNN with estimating a portion of the environmental noise n , and $y = x_0 + n$ enters (9) only as an input to the score-based model, functioning as a conditioning signal. Our model is thus trained to only estimate the Gaussian noise that is artificially added during the forward process. We therefore argue that the CDiffuSE training task has significant discriminative characteristics, whereas ours remains purely generative in nature.

3.4. Speech enhancement procedure

To proceed with speech enhancement, an initial complex spectrogram x_1 is determined by sampling from the corresponding prior distribution, with mean y and standard deviation $\sigma(1)$:

$$x_1 \sim \mathcal{N}_{\mathbb{C}}(y, \sigma(1)^2 \mathbf{I}) \quad (10)$$

We then choose a reverse sampling method to start from x_1 and solve the reverse SDE, from $t = 1$ up until a small $t_\varepsilon \approx 0$ to avoid numerical issues close to $t = 0$, see [18]. There are various possible choices of reverse sampling methods. Song et al. [18] show impressive performance of so-called *Predictor-Corrector samplers*, which we therefore adopt as well. We use the specific combination of *reverse diffusion sampling* as the predictor and *annealed Langevin dynamics* as the corrector, as in [18, Algorithm 2]. The corrector requires a so-called SNR parameter r , which we empirically set to $r = 0.33$. We use one




Figure 2: Architecture of each encoder/decoder pair in our U-Net DNN. Activation functions and norms are applied to the real and imaginary parts separately, while the complex convolution and complex linear layers use the natural complex algebra.

corrector step per iteration, at 50 total iterations. The enhanced audio is finally retrieved by applying the backward transformation (8) and a subsequent inverse STFT.

4. Experimental setup

4.1. Neural network architecture

For our experiments in this paper, we construct a complex-valued U-Net architecture based on blocks shown schematically in Fig. 2 and parameterized as listed in Table 1, resulting in 3.56M parameters overall. We adapt the *Deep Complex U-Net* (DCUNet) architecture [30] in several ways for our task: (1) We insert *time-embedding layers* into all encoder and decoder blocks, providing the DNN with information about the time-step t . We encode t via 128 random Fourier feature embeddings [31], which are passed through complex-valued affine layers and activations in each block. These embeddings are broadcasted over and added to each respective channel of the layer output, as in previous SGM-based work [17, 18, 20]. (2) We add multiple non-strided encoder/decoder pairs at the top of the U-Net to increase the DNN’s capacity for finer, non-downsampled features. (3) We add exponentially increasing dilations in the frequency axis to the lower layers. This enlarges the receptive field in the frequency direction, to help the DNN differentiate between spectral characteristics encountered in speech without affecting the amount of required computation. (4) We change the network to have one complex-valued output channel estimating the score, and two complex-valued input channels (x_t, y) , so that it has access to the information contained in the noisy speech y . (5) We replace all 3×3 kernels by 4×4 kernels, to avoid checkerboard patterns arising from the kernel size not being divisible by the stride in the transposed convolutions [32].

4.2. Dataset

We use the standardized VoiceBank-DEMAND [33, 34] dataset for training and testing, as was done in the baseline work (DiffuSE, [13]). We normalize the pairs of clean and noisy audio (x_0, y) by the maximum absolute value of x_0 . We then convert

Table 1: Encoder and decoder parameters of our modified DCUNet architecture. C_i / C_o are input / output channels, K is the kernel size, S is the stride, and D is the dilation. Tuples indicate the axes (frequency, time).

Depth	1	2	3	4	5	6
C_i	2	32	32	32	64	128
C_o	32	32	32	64	128	256
K	(4,4)	(4,4)	(4,4)	(4,4)	(4,4)	(4,4)
S	(1,1)	(1,1)	(1,1)	(2,1)	(2,2)	(2,2)
D	(1,1)	(1,1)	(1,1)	(2,1)	(4,1)	(8,1)

each input into the complex-valued one-sided STFT representation, using an DFT length of $F = 512$, a hop length of 128 (i.e., 75% overlap) and a periodic Hann window. We randomly crop each spectrogram to 256 STFT time frames during each epoch.

4.3. Training procedure and hyperparameters

We train our DNN for 325 epochs, using the Adam optimizer [35] with a learning rate of 10^{-4} and a batch size of 32. We parameterize our SDE (3) as follows: $\gamma = 1.5$, $\sigma_{\min} = 0.05$, $\sigma_{\max} = 0.5$, $t_\varepsilon = 0.03$. We track an exponential moving average of the DNN weights with a decay of 0.999, to be used for sampling [36]. We also train two baseline models [13, 14] to compare against, using publicly available code.

4.4. Evaluation

For evaluation, we follow the speech enhancement procedure described in Section 3.4. We report the scale-invariant signal-to-distortion ratio (SI-SDR), signal-to-interference ratio (SI-SIR) and signal-to-artifacts ratio (SI-SAR) [37], comparing against the noisy speech y and the baseline method. We avoid the use of the Perceptual Evaluation of Speech Quality (PESQ) measure, since the P.862.3 standard [38] states that “there should be a minimum of 3.2s active speech in the reference”, which does not hold for the majority of audio files in the VoiceBank-DEMAND [33] dataset used by us and (C)DiffuSE [13, 14]. We provide listening examples in order to assess the perceptual quality of the compared methods¹.

5. Results

In Table 2, we compare the performance of our proposed method (SGMSE) with DiffuSE [13], CDiffuSE [14] and the noisy mixture. The results from CDiffuSE, for which executable code was not available at the time of submission, were added to the table after acceptance. We report the mean results and their 95% confidence interval on the test set. We also report values for $m = (0.8\hat{x} + 0.2y)$, as suggested and used in [13, 14].

Our proposed method shows an improvement in SI-SDR of 4.6 dB over DiffuSE and 3.0 dB over CDiffuSE when comparing the raw model output. We can see that the three compared methods follow a trend of increasing SI-SAR and decreasing SI-SIR, with our method achieving the most favorable balance between the two metrics, resulting in the best SI-SDR. Arguably, our method also achieves more natural-sounding speech due to the lower amount of artifacts, which we confirmed by informal listening. Audio examples and code are available online¹.

This qualitative behavior is corroborated by Fig. 3, where we show the power spectrograms of an example utterance (clean

¹<https://uhh.de/inf-sp-sgmse>

Table 2: Average performance of our method (SGMSE) and DiffuSE [13], comparing their raw output to the noisy speech mixture. Best values in each column are bold. Values for $m = (0.8\hat{x} + 0.2y)$, as used in [13, 14], are listed in gray.

Model	SI-SDR	SI-SIR	SI-SAR
Mixture	$8.4 \pm .38$	$8.4 \pm .38$	∞
DiffuSE ^[13]	$10.5 \pm .14$	$30.0 \pm .71$	$10.8 \pm .11$
CDiffuSE ^[14]	$12.1 \pm .10$	$28.2 \pm .36$	$12.3 \pm .09$
SGMSE	$15.1 \pm .27$	$24.9 \pm .42$	$15.7 \pm .25$
DiffuSE _{m} ^[13]	$11.4 \pm .18$	$19.1 \pm .46$	$13.0 \pm .11$
CDiffuSE _{m} ^[14]	$12.6 \pm .15$	$18.8 \pm .34$	$14.4 \pm .09$
SGMSE _{m}	$14.5 \pm .29$	$17.9 \pm .36$	$17.7 \pm .25$




Figure 3: Power spectrograms for an example audio file from VoiceBank-DEMAND. As can be seen from the highlighted regions, our approach (SGMSE) exhibits fewer voice distortions than CDiffuSE [14] at some expense of noise reduction.

and noisy) and the corresponding estimates of our method and CDiffuSE. Both methods are able to remove the environmental noise, which is clearly visible in the specified dynamic range of 50 dB. Furthermore, it can be seen that our method preserves the high frequencies of the fricatives better than CDiffuSE. Interestingly, CDiffuSE removes too much energy around the formants, whereas our method maintains the natural structure.

6. Conclusion

In this work, we have designed a novel stochastic process for a score-based generative modeling approach to speech enhancement in the complex STFT domain, based on the formalism of SDEs. To our knowledge, this is the first work to apply SGMs in the complex time-frequency domain and, after CDiffuSE [14], the second theoretically principled approach to use SGMs specifically for speech enhancement. Our approach exhibits more natural sounding reconstructions with fewer artifacts than previous methods at some expense of noise removal, which together leads to an SI-SDR improvement of about 5 and 3 dB over DiffuSE [13] and CDiffuSE [14], respectively. Further investigation into other SDEs, data representations and DNN architectures may prove to be a fruitful research avenue for speech enhancement using generative models. An extended journal article with additional analysis and improved performance is currently in preparation [39].

7. References

- [1] R. C. Hendriks, T. Gerkmann, and J. Jensen, *DFT-Domain Based Single-Microphone Noise Reduction for Speech Enhancement: A Survey of the State-of-the-Art*. Morgan & Claypool, 2013.
- [2] T. Gerkmann and E. Vincent, "Spectral masking and filtering," in *Audio Source Separation and Speech Enhancement*, E. Vincent, T. Virtanen, and S. Gannot, Eds. John Wiley & Sons, 2018.
- [3] P. Wang, K. Tan, and D. L. Wang, "Bridging the gap between monaural speech enhancement and recognition with distortion-independent acoustic modeling," *IEEE Trans. on Audio, Speech, and Language Proc. (TASLP)*, vol. 28, pp. 39–48, 2020.
- [4] S. Pascual, A. Bonafonte, and J. Serra, "SEGAN: Speech enhancement generative adversarial network," *ISCA Interspeech*, pp. 3642–3646, 2017.
- [5] D. Baby and S. Verhulst, "SERGAN: Speech enhancement using relativistic generative adversarial networks with gradient penalty," *IEEE Int. Conf. on Acoustics, Speech and Signal Proc. (ICASSP)*, pp. 106–110, 2019.
- [6] Y. Bando, M. Mimura, K. Itoyama, K. Yoshii, and T. Kawahara, "Statistical speech enhancement based on probabilistic integration of variational autoencoder and non-negative matrix factorization," *IEEE Int. Conf. on Acoustics, Speech and Signal Proc. (ICASSP)*, pp. 716–720, 2018.
- [7] S. Leglaive, L. Girin, and R. Horaud, "A variance modeling framework based on variational autoencoders for speech enhancement," *IEEE Int. Workshop on Machine Learning for Signal Proc. (MLSP)*, pp. 1–6, 2018.
- [8] J. Richter, G. Carbajal, and T. Gerkmann, "Speech enhancement with stochastic temporal convolutional networks." *ISCA Interspeech*, pp. 4516–4520, 2020.
- [9] G. Carbajal, J. Richter, and T. Gerkmann, "Disentanglement learning for variational autoencoders applied to audio-visual speech enhancement," *IEEE Workshop on Applications of Signal Proc. to Audio and Acoustics (WASPAA)*, pp. 126–130, 2021.
- [10] H. Fang, G. Carbajal, S. Wermter, and T. Gerkmann, "Variational autoencoder for speech enhancement with a noise-aware encoder," *IEEE Int. Conf. on Acoustics, Speech and Signal Proc. (ICASSP)*, pp. 676–680, 2021.
- [11] X. Bie, S. Leglaive, X. Alameda-Pineda, and L. Girin, "Unsupervised speech enhancement using dynamical variational autoencoders," *arXiv preprint arXiv:2106.12271*, 2021.
- [12] A. A. Nugraha, K. Sekiguchi, and K. Yoshii, "A flow-based deep latent variable model for speech spectrogram modeling and enhancement," *IEEE Trans. on Audio, Speech, and Language Proc. (TASLP)*, vol. 28, pp. 1104–1117, 2020.
- [13] Y.-J. Lu, Y. Tsao, and S. Watanabe, "A study on speech enhancement based on diffusion probabilistic model," *Asia-Pacific Signal and Inf. Proc. Association Annual Summit and Conf. (APSIPA ASC)*, pp. 659–666, 2021.
- [14] Y.-J. Lu, Z.-Q. Wang, S. Watanabe, A. Richard, C. Yu, and Y. Tsao, "Conditional Diffusion Probabilistic Model for Speech Enhancement," *IEEE Int. Conf. on Acoustics, Speech and Signal Proc. (ICASSP)*, 2022.
- [15] Y. Bando, K. Sekiguchi, and K. Yoshii, "Adaptive neural speech enhancement with a denoising variational autoencoder." *ISCA Interspeech*, pp. 2437–2441, 2020.
- [16] Y. Song and S. Ermon, "Generative modeling by estimating gradients of the data distribution," *Advances in Neural Inf. Proc. Systems (NeurIPS)*, vol. 32, 2019.
- [17] J. Ho, A. Jain, and P. Abbeel, "Denoising diffusion probabilistic models," *Advances in Neural Inf. Proc. Systems (NeurIPS)*, vol. 33, pp. 6840–6851, 2020.
- [18] Y. Song, J. Sohl-Dickstein, D. P. Kingma, A. Kumar, S. Ermon, and B. Poole, "Score-based generative modeling through stochastic differential equations," *Int. Conf. on Learning Representations (ICLR)*, 2021.
- [19] P. Dhariwal and A. Nichol, "Diffusion models beat GANs on image synthesis," *Advances in Neural Inf. Proc. Systems (NeurIPS)*, vol. 34, 2021.
- [20] Z. Kong, W. Ping, J. Huang, K. Zhao, and B. Catanzaro, "DiffWave: A versatile diffusion model for audio synthesis," *Int. Conf. on Learning Representations (ICLR)*, 2021.
- [21] N. Chen, Y. Zhang, H. Zen, R. J. Weiss, M. Norouzi, and W. Chan, "WaveGrad: Estimating gradients for waveform generation," *Int. Conf. on Learning Representations (ICLR)*, 2021.
- [22] G. Parisi, "Correlation functions and computer simulations," *Nuclear Physics B*, vol. 180, no. 3, pp. 378–384, 1981.
- [23] S. Särkkä and A. Solin, *Applied Stochastic Differential Equations*. Cambridge University Press, 2019.
- [24] B. D. Anderson, "Reverse-time diffusion equation models," *Stochastic Processes and their Applications*, vol. 12, no. 3, pp. 313–326, 1982.
- [25] T. Chakraborty and M. Kearns, "Market making and mean reversion," *Proceedings of the 12th ACM conference on Electronic commerce*, pp. 307–314, 2011.
- [26] G. E. Uhlenbeck and L. S. Ornstein, "On the theory of the Brownian motion," *Physical review*, vol. 36, no. 5, p. 823, 1930.
- [27] T. Gerkmann and R. Martin, "Empirical distributions of DFT-domain speech coefficients based on estimated speech variances," *Int. Workshop on Acoustic Echo and Noise Control*, 2010.
- [28] S. Braun and I. Tashev, "A consolidated view of loss functions for supervised deep learning-based speech enhancement," *Int. Conf. on Telecom. and Signal Proc. (TSP)*, pp. 72–76, 2021.
- [29] P. Vincent, "A connection between score matching and denoising autoencoders," *Neural Computation*, vol. 23, no. 7, pp. 1661–1674, 2011.
- [30] H.-S. Choi, J.-H. Kim, J. Huh, A. Kim, J.-W. Ha, and K. Lee, "Phase-aware Speech Enhancement with Deep Complex U-Net," *arXiv preprint arXiv:1903.03107*, 2019.
- [31] M. Tancik, P. Srinivasan, B. Mildenhall, S. Fridovich-Keil, N. Raghavan, U. Singhal, R. Ramamoorthi, J. Barron, and R. Ng, "Fourier features let networks learn high frequency functions in low dimensional domains," *Advances in Neural Inf. Proc. Systems (NeurIPS)*, vol. 33, pp. 7537–7547, 2020.
- [32] A. Odena, V. Dumoulin, and C. Olah, "Deconvolution and checkerboard artifacts," *Distill*, vol. 1, no. 10, p. e3, 2016.
- [33] C. Valentini-Botinhao, X. Wang, S. Takaki, and J. Yamagishi, "Investigating RNN-based speech enhancement methods for noise-robust Text-to-Speech." *ISCA Speech Synthesis Workshop (SSW)*, pp. 146–152, 2016.
- [34] J. Thiemann, N. Ito, and E. Vincent, "The Diverse Environments Multi-channel Acoustic Noise Database (DEMAND): A database of multichannel environmental noise recordings," *The Journal of the Acoustical Society of America*, vol. 133, no. 5, pp. 3591–3591, 2013.
- [35] D. P. Kingma and J. Ba, "Adam: A method for stochastic optimization," *Int. Conf. on Learning Representations (ICLR)*, 2015.
- [36] Y. Song and S. Ermon, "Improved techniques for training score-based generative models," *Advances in Neural Inf. Proc. Systems (NeurIPS)*, vol. 33, pp. 12 438–12 448, 2020.
- [37] J. Le Roux, S. Wisdom, H. Erdogan, and J. R. Hershey, "SDR-half-baked or well done?" *IEEE Int. Conf. on Acoustics, Speech and Signal Proc. (ICASSP)*, pp. 626–630, 2019.
- [38] ITU-T Rec. P.862.3, "Application guide for objective quality measurement based on Recommendations P.862, P.862.1 and P.862.2," *Int. Telecom. Union (ITU)*, 2007.
- [39] J. Richter, S. Welker, J.-M. Lemerrier, B. Lay, and T. Gerkmann, "Speech enhancement and dereverberation with diffusion-based generative models," (*in preparation*), 2022.